

| Ref # | Hits | Search Query | DBs | Default Operator | Plurals | Time Stamp |
|----------|-------|---|---------------------------------|------------------|---------|------------------|
| L6 | 2 | ((("5796044") or ("20020055764")).PN. | US-PGPUB; USPAT; EPO; JPO | OR | OFF | 2006/01/24 09:50 |
| L5 | 1 | ("5796044").PN. | US-PGPUB; USPAT; EPO; JPO | OR | OFF | 2006/01/24 09:50 |
| L4 | 87 | L3 (coronary adj sinus) (introducer adj sheath) | US-PGPUB; USPAT; EPO; JPO | AND | ON | 2006/01/24 09:47 |
| S13 9 | 5 | S108 electrode ring silicone polyurethane conductors connect (distal near3 electrode) (proximal near3 electrode) lumen stylet (lumen same stylet) (sens\$4 near3 electrode) ((stimulat\$3 or pac\$3) near3 electrode) (introducer adj sheath) | US-PGPUB; USPAT; EPO; JPO | AND | ON | 2006/01/24 09:25 |
| L3 | 23052 | "607".clas. | US-PGPUB; USPAT; EPO; JPO | AND | ON | 2006/01/24 09:25 |
| S13 8 | 1 | S116 electrode ring silicone polyurethane conductors connect (distal near3 electrode) (proximal near3 electrode) lumen stylet (lumen same stylet) (sens\$4 near3 electrode) ((stimulat\$3 or pac\$3) near3 electrode) | US-PGPUB; USPAT; EPO; JPO | AND | ON | 2006/01/23 16:34 |
| S13 1 | 102 | "607".clas. electrode ring silicone polyurethane conductors connect (distal near3 electrode) (proximal near3 electrode) lumen stylet (lumen same stylet) | US-PGPUB; USPAT; EPO; JPO | AND | ON | 2006/01/23 16:28 |
| S13 7 | 1 | S101 sens\$4 | US-PGPUB; USPAT; EPO; JPO | AND | ON | 2006/01/23 16:27 |
| S13 6 | 0 | S101 sense | US-PGPUB; USPAT; EPO; JPO | AND | ON | 2006/01/23 16:27 |
| S13 5 | 0 | S101 sense stimulat\$ | US-PGPUB; USPAT; EPO; JPO | AND | ON | 2006/01/23 16:26 |
| S13 4 | 1 | S101 stylet | US-PGPUB; USPAT; EPO; JPO | AND | ON | 2006/01/23 16:26 |
| S13 3 | 0 | S101 stylet lumen | US-PGPUB; USPAT; EPO; JPO | AND | ON | 2006/01/23 16:04 |

| | | | | | | |
|----------|---|---|---------------------------------|-----|-----|------------------|
| S13 2 | 0 | S101 (stylet same lumen) | US-PGPUB; USPAT; EPO; JPO | AND | ON | 2006/01/23 16:04 |
| S10 1 | 1 | ("4945342").PN. | US-PGPUB; USPAT; EPO; JPO | OR | OFF | 2006/01/23 16:04 |
| S13 0 | 1 | S116 electrode ring silicone polyurethane conductors connect (distal near3 electrode) (proximal near3 electrode) lumen stylet (lumen same stylet) | US-PGPUB; USPAT; EPO; JPO | AND | ON | 2006/01/23 15:59 |
| S12 9 | 1 | S116 electrode ring silicone polyurethane conductors connect (distal near3 electrode) (proximal near3 electrode) lumen stylet | US-PGPUB; USPAT; EPO; JPO | AND | ON | 2006/01/23 15:46 |
| S12 8 | 1 | S116 electrode ring silicone polyurethane conductors connect (distal near3 electrode) (proximal near3 electrode) | US-PGPUB; USPAT; EPO; JPO | AND | ON | 2006/01/23 15:44 |
| S12 7 | 0 | S116 electrode ring silicone polyurethane conductors connect (distal near3 electrode) (proximal near3 electrode) terminal | US-PGPUB; USPAT; EPO; JPO | AND | ON | 2006/01/23 15:12 |
| S12 6 | 1 | S116 electrode ring silicone polyurethane conductors connect (distal near3 electrode) (proximal near3 electrode) | US-PGPUB; USPAT; EPO; JPO | AND | ON | 2006/01/23 15:12 |
| S12 5 | 1 | S116 electrode ring silicone polyurethane conductors connect distal proximal | US-PGPUB; USPAT; EPO; JPO | AND | ON | 2006/01/23 14:55 |
| S12 4 | 1 | S116 electrode ring silicone polyurethane conductors connect distal | US-PGPUB; USPAT; EPO; JPO | AND | ON | 2006/01/23 14:54 |
| S12 3 | 1 | S116 electrode ring silicone polyurethane conductors connect | US-PGPUB; USPAT; EPO; JPO | AND | ON | 2006/01/23 14:54 |
| S12 2 | 1 | S116 electrode ring silicone polyurethane conductors | US-PGPUB; USPAT; EPO; JPO | AND | ON | 2006/01/23 14:54 |
| S12 1 | 1 | S116 electrode ring silicone polyurethane conductor | US-PGPUB; USPAT; EPO; JPO | AND | ON | 2006/01/23 14:54 |
| S12 0 | 1 | S116 electrode ring silicone polyurethane | US-PGPUB; USPAT; EPO; JPO | AND | ON | 2006/01/23 14:54 |
| S11 9 | 1 | S116 electrode ring silicone | US-PGPUB; USPAT; EPO; JPO | AND | ON | 2006/01/23 14:53 |

| | | | | | | |
|------|-------|--|---------------------------------|-----|-----|------------------|
| S118 | 1 | S116 electrode ring | US-PGPUB; USPAT; EPO; JPO | AND | ON | 2006/01/23 14:53 |
| S117 | 1 | S116 electrode | US-PGPUB; USPAT; EPO; JPO | AND | ON | 2006/01/23 14:53 |
| S116 | 1 | "20030220677" | US-PGPUB; USPAT; EPO; JPO | AND | ON | 2006/01/23 14:53 |
| S115 | 0 | S108 (distal adj tip adj electrode) (proximal adj electrode) conductor connect\$2 silicone polyurethane ring (doan.in.) | US-PGPUB; USPAT; EPO; JPO | AND | ON | 2006/01/23 14:53 |
| S114 | 55 | S108 (distal adj tip adj electrode) (proximal adj electrode) conductor connect\$2 silicone polyurethane ring | US-PGPUB; USPAT; EPO; JPO | AND | ON | 2006/01/23 14:52 |
| S113 | 65 | S108 (distal adj tip adj electrode) (proximal adj electrode) conductor connect\$2 silicone polyurethane | US-PGPUB; USPAT; EPO; JPO | AND | ON | 2006/01/23 14:52 |
| S112 | 137 | S108 (distal adj tip adj electrode) (proximal adj electrode) conductor connect\$2 | US-PGPUB; USPAT; EPO; JPO | AND | ON | 2006/01/23 14:49 |
| S111 | 139 | S108 (distal adj tip adj electrode) (proximal adj electrode) conductor connect\$ | US-PGPUB; USPAT; EPO; JPO | AND | ON | 2006/01/23 14:49 |
| S110 | 139 | S108 (distal adj tip adj electrode) (proximal adj electrode) conductor | US-PGPUB; USPAT; EPO; JPO | AND | ON | 2006/01/23 14:49 |
| S109 | 159 | S108 (distal adj tip adj electrode) (proximal adj electrode) | US-PGPUB; USPAT; EPO; JPO | AND | ON | 2006/01/23 14:48 |
| S108 | 23043 | "607".clas. | US-PGPUB; USPAT; EPO; JPO | AND | ON | 2006/01/23 14:48 |
| S102 | 1 | ("6141576").PN. | US-PGPUB; USPAT; EPO; JPO | OR | OFF | 2006/01/23 14:48 |
| S107 | 0 | S101 (titanium or MP35N) ETFE | US-PGPUB; USPAT; EPO; JPO | AND | ON | 2006/01/23 14:09 |
| S106 | 0 | S101 (titanium or MP35N) PTFE | US-PGPUB; USPAT; EPO; JPO | AND | ON | 2006/01/23 14:09 |
| S105 | 0 | S101 (titanium or MP35N) fluoropolymer | US-PGPUB; USPAT; EPO; JPO | AND | ON | 2006/01/23 14:09 |
| S104 | 0 | S101 (titanium or MP35N) DFT | US-PGPUB; USPAT; EPO; JPO | AND | ON | 2006/01/23 14:08 |

| | | | | | | |
|------|------|---|---|-----|-----|------------------|
| S103 | 1 | S101 (titanium or MP35N) | US-PGPUB; USPAT; EPO; JPO | AND | ON | 2006/01/23 14:08 |
| S100 | 1 | S99 lead conductor cable (insulat\$4 or silico\$2) (braid\$3 or twist\$3 or wound or wind\$3) ("4945342".pn.) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT | AND | ON | 2005/12/30 11:52 |
| S99 | 4449 | ((607/116) or (607/119) or (607/120) or (607/121) or (607/122) or (607/123) or (607/124) or (607/125) or (607/126) or (607/127) or (607/128) or (607/129) or (607/115) or (607/116) or (607/117) or (607/118) or (607/130) or (607/131) or (607/132) or (607/133) or (600/373) or (600/374) or (600/375) or (600/376) or (600/377)).CCLS. | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT | OR | OFF | 2005/12/30 09:59 |
| S98 | 452 | S93 lead conductor cable (insulat\$4 or silico\$2) (braid\$3 or twist\$3 or wound or wind\$3) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT | AND | ON | 2005/12/30 09:59 |
| S97 | 659 | S93 lead conductor cable (insulat\$4 or silico\$2) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT | AND | ON | 2005/12/29 13:38 |
| S96 | 703 | S93 lead conductor cable | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT | AND | ON | 2005/12/29 13:36 |
| S95 | 2025 | S93 lead conductor | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT | AND | ON | 2005/12/29 13:36 |
| S94 | 3069 | S93 lead | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT | AND | ON | 2005/12/29 13:36 |

| | | | | | | |
|-----|-------|---|---|-----|-----|------------------|
| S93 | 4449 | ((607/116) or (607/119) or (607/120) or (607/121) or (607/122) or (607/123) or (607/124) or (607/125) or (607/126) or (607/127) or (607/128) or (607/129) or (607/115) or (607/116) or (607/117) or (607/118) or (607/130) or (607/131) or (607/132) or (607/133) or (600/373) or (600/374) or (600/375) or (600/376) or (600/377)).CCLS. | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT | OR | OFF | 2005/12/29 13:31 |
| S92 | 33432 | "L1" lead | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT | AND | ON | 2005/12/29 13:31 |
| S91 | 3069 | S89 lead | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT | AND | ON | 2005/12/29 11:28 |
| S90 | 4449 | S89 | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT | AND | ON | 2005/12/29 11:28 |
| S89 | 4449 | ((607/116) or (607/119) or (607/120) or (607/121) or (607/122) or (607/123) or (607/124) or (607/125) or (607/126) or (607/127) or (607/128) or (607/129) or (607/115) or (607/116) or (607/117) or (607/118) or (607/130) or (607/131) or (607/132) or (607/133) or (600/373) or (600/374) or (600/375) or (600/376) or (600/377)).CCLS. | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT | OR | OFF | 2005/12/29 11:28 |
| S1 | 36629 | bipolar lead | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT | AND | ON | 2005/12/29 11:28 |
| S88 | 4323 | S87 | US-PGPUB; USPAT; EPO; JPO | AND | ON | 2005/12/29 11:27 |

| | | | | | | |
|-----|------|---|---|----|-----|------------------|
| S87 | 4449 | ((607/116) or (607/119) or (607/120) or (607/121) or (607/122) or (607/123) or (607/124) or (607/125) or (607/126) or (607/127) or (607/128) or (607/129) or (607/115) or (607/116) or (607/117) or (607/118) or (607/130) or (607/131) or (607/132) or (607/133) or (600/373) or (600/374) or (600/375) or (600/376) or (600/377)).CCLS. | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT | OR | OFF | 2005/12/29 11:27 |
| S46 | 4289 | ((607/116) or (607/119) or (607/120) or (607/121) or (607/122) or (607/123) or (607/124) or (607/125) or (607/126) or (607/127) or (607/128) or (607/129) or (607/115) or (607/116) or (607/117) or (607/118) or (607/130) or (607/131) or (607/132) or (607/133) or (600/373) or (600/374) or (600/375) or (600/376) or (600/377)).CCLS. | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT | OR | OFF | 2005/12/29 11:27 |